



CENTRAL UNIVERSITY OF KERALA

(संसद के अधिनियम, वर्ष 2009 द्वारा स्थापित / Established under the Act of Parliament in 2009) तेजस्विनि हिलस,
पेरिये डाक, कासरगोड-671 325, केरल / Tejaswini Hills, Periy e P.O. KASARAGOD-671 325, KERALA
दूरभाष/ Phone: 0467 -2309495, वेबसाइट/ Website:- cukerala.ac.in, ई-मेल / E mail:- registrar@@cukerala.ac.in

Notification No. CUK/PUR/F.1023/2026

Dated, 26.03.2026

INVITATION FOR QUOTATIONS

Quotations are invited in single cover system from the reputed and well-established supplier for the supply of the following items to the Central University of Kerala, Periy e Campus as detailed below:

| SI No | Computer Peripherals | Qty. | Last Date for submission of Quotations |
|-------|----------------------|----------|--|
| 1 | Monitor 24" | 105 Nos. | 06.04.2026, 11.00 am |
| 2 | Keyboard | 105 Nos. | |
| 3 | Mouse | 105 Nos. | |

The detailed technical specifications of the item shall be provided as per the **Annexure I**. The General Terms and Conditions for submitting quotations and supplying the equipment shall be as per **Annexure II**.

The quotations shall be submitted in a sealed cover to the **Assistant Registrar, Purchase Section, Central University of Kerala, Periy a, Kasargod, 671325**. It is requested that the quotations along with brochures and manuals, if any, may be submitted to the **Assistant Registrar, Purchase Section, Central University of Kerala, Periy a, Kasargod, 671325** on or before the due date. The quotations will be opened on **06.04.2026 at 2.00 pm**. If the proposed day happens to be holiday for CUK, the quotations will be opened on subsequent working day.

कुलसचिव/REGISTRAR (i/c)

R. S. S. S.

Annexure-I

Technical Specifications of Monitor

| FEATURES | SPECIFICATIONS | FEATURES | SPECIFICATIONS |
|------------------------|--|--------------------------------|---|
| DISPLAY | Screen Size: 23.8 inch (60.45 cm) Display Type: LED Backlit LCD Resolution: 1920 × 1080 (Full HD) Aspect Ratio: 16:9 Panel Type: IPS Pixel Pitch: 0.2745 × 0.2745 mm Surface Treatment: Anti-glare | MECHANICAL / ERGONOMICS | Tilt Adjustment: Yes (-5° to +20°) Height Adjustment: No Swivel/Pivot: No Wall Mount: 100 × 100 mm (VESA) Design: 3-side borderless |
| DISPLAY QUALITY | Brightness: Typical: 250 cd/m ² Minimum: 200 cd/m ² Contrast Ratio: 1300:1 (typical) Color Depth: 16.7 Million colors Color Gamut: sRGB 99% Viewing Angle: 178° (H/V) | DIMENSIONS & WEIGHT | With Stand: ~540 × 414 × 200 mm Without Stand: ~540 × 320 × 50 mm Weight (with stand): ~2.94 kg Weight (without stand): ~2.53 kg |
| PERFORMANCE PARAMETERS | Refresh Rate: Up to 100 Hz (HDMI) Refresh Rate (VGA): Up to 75 Hz Response Time: 5 ms (GtG) 1 ms MPRT (motion blur reduction) Adaptive Sync: AMD FreeSync | POWER | Power Consumption (Typical): ~16–22W Sleep Mode: <0.5W Off Mode: <0.3W Power Input: 100–240V AC |
| CONNECTIVITY | HDMI: 1 × HDMI 1.4 VGA (D-Sub): 1 × D-Sub Audio Output: 3.5 mm headphone out | EYE CARE / USER FEATURES | Flicker Safe (anti-flicker) Reader Mode (low blue light); Anti-glare display |
| ADDITIONAL FEATURES | AMD FreeSync (tear-free gaming); Dynamic Action Sync; Black Stabilizer Crosshair feature OnScreen Control software; Auto Input Switch Super Resolution+ | CERTIFICATION & WARRANTY | Warranty: Up to 3 Years Compliance: Energy saving features available |

Smair
19.03.2026

Bravach
March -23
2026

Ramesh
23/3/26
Lates
(Lakshmi U
menon)

Jyoti
(Jayasudha J)

Annexure-II

Technical Specifications of Keyboard

| FEATURES | SPECIFICATIONS |
|--------------------------|---|
| Connection | Wired USB Keyboard |
| Color | Black |
| | Layout: Full-size (104 keys) Key Type: Low-profile keys Numeric Keypad: Yes Function Keys: Yes (F1-F12) Language Support: English / Optional Hindi variants |
| Performance & Usability | Typing Experience: Quiet, soft keystrokes Key Life: Up to 10 million keystrokes Plug & Play: Yes (no software required) Compatibility: Windows (7/8/10/11) Compatible with Windows; macOS; Linux |
| Connectivity | Interface: USB 2.0 (wired) Cable Length: ~1.5 meters (typical) |
| Build & Design | Design: Slim profile Spill Resistance: Yes (liquid drainage design) Key Printing: UV-coated (anti-fade) Tilt Legs: Adjustable height support Spacebar: Curved design |
| Physical Details | Weight: ~550-600 grams (approx) Dimensions: Standard full-size keyboard |
| Power | Power Source: USB powered (no battery required) |
| Durability & Reliability | Spill-resistant design Durable keys (10M keystrokes) Strong plastic body Suitable for heavy office use |
| Warranty | Warranty: Up to 3 years |

S. Mani
19.03.2026.

Loka
(Kateshuni U
Menon)

Jay S. J.
(Jayasudha J.S)

Bhramar
March-23
-2026

R. S. M.
23/3/26

Annexure-III

Technical Specifications of Mouse

| FEATURES | SPECIFICATIONS |
|--------------------------|---|
| Mouse Type & Performance | Mouse Type: Optical wired mouse Sensor Technology: Optical tracking Resolution (DPI): 1000 DPI Tracking Type: High-definition optical Buttons: Left click Right click Scroll wheel (middle button) |
| Color | Black |
| Performance & Usability | Plug & Play: Yes (no driver/software required) Cursor Control: Smooth and precise tracking Usage Type: Office / basic computing Surface Support: Works on most surfaces without mousepad |
| Connectivity | Interface: USB Type-A Connectivity: Wired Cable Length: ~1.5 meter (typical) |
| Build & Design | Design & Ergonomics Design: Ambidextrous (usable by both hands) Grip Type: Palm grip (full-size comfort) Build: Durable plastic body Finish: Matte |
| Physical Details | Weight: ~80-100 grams (approx) Size: Standard full-size mouse |
| Power | Power Source: USB powered (no battery required) |
| Durability & Reliability | Reliable long-term usage Designed for heavy office work |
| Compatibility | Operating Systems: Windows; macOS; Linux Works with: Desktop, Laptop and Thin clients |
| Warranty | Warranty: Up to 3 years |

Sm air
19.03.2026

Shanachy
March-23
-2026

Let's
(Lakshmi V Menon) Jy S (J.S.)
(Jayasudha J.S.)

Rsmak
23/3/26



केरल केंद्रीय विश्वविद्यालय
CENTRAL UNIVERSITY OF KERALA
 PERIYA, KASARAGOD-671325

GENERAL TERMS AND CONDITIONS

1. The duly filled hard copy of the quotation for the item shall be submitted in a sealed cover with all equipment manuals and supporting documents to the following address, **Assistant Registrar, Purchase Section, Central University of Kerala, Periya, Kasargod, 671325** on or before the due date.
2. **The supplier must submit a sample of Computer peripherals on or before 26.03.2026.**
3. Submitting quotations by any other means other than specified above shall not be considered. The University is not responsible for any postal/courier delay.
4. The quantities of the item may increase or decrease at the time of placing purchase orders.
5. The invitation notice, technical specifications, schedule of quantities and other necessary documents can be seen and downloaded from the University official website <https://cukerala.ac.in/>.
6. The supplier should be a well-established professional organisation and must have an experienced background in supplying items to Universities and research institutes.
7. The quoted price must be in Indian rupees and shall include GST, service tax, duties, transportation of materials etc. and no additional claim will be entertained by University in this regard.
8. The supplier shall comply with all the technical specifications and any deviation invites disqualification from the competition.
9. The successful supplier shall be required to comply with all the instructions of the University. The decision of the University is final.
10. The successful supplier shall be required to supply the item within 7 days from the date of receipt of Purchase Order. Delay in supply of equipment will invite Liquidated Damage charges as per GFR, Govt. of India rules.
11. Installation shall be completed free of cost within THREE working days after supply of the item to the Periyar Campus, Central University of Kerala.
12. The warranty shall be minimum **03 years** from the date of installation for the supplied monitor and 01 year for keyboard and mouse.
13. Selection of a supplier is decided based on evaluation of technical specifications and followed by offer price (lowest price, L1). However, University reserves the right to place purchase orders to L1

Rsmar

SA

and L1 bidder may be called for price negotiation.

14. Payment (100%) shall be released only after successful installation of the item to the Periyar Campus, Central University of Kerala and satisfactory report of the end user.
15. University shall recover the GST, TDS, any other statutory taxes as per Govt. of India norms.
16. In case of any dispute, the decision of the Registrar shall be final and binding on the supplier.
17. In the interest of the Central University of Kerala, additional terms & conditions may be imposed or introduced to the conditions as stated above.

Resubmit


कुलसचिव/REGISTRAR (i/c)